



DJEČJA SOBA - TLOCRT PROSTORA


TLOCRT




IDEJNO RIJEŠENJE



TLOCRT - pozicije elektroinstalacija




TLOCRT - pogledi i presjeci







POGLED A




POGLED B



POGLED C



POGLED D



RADNI STOL S POLICAMA

SPECIFIKACIJE :


- RADNI STOL I POLICE IZNAD : U 702 ST 9, kašmir siva, IV 18 mm Egger
- POLICE UZ STOL I KREVET : F 416 ST 10, laneno bež, IV 18 mm Egger
- noga za stol: profil 3 x 6 bojano u zlatno - RAL - PREMA ODABRANOJ RUČKI
- kutne lajsne skinuti i postaviti nakon ugrađenog namještaja
- izvesti perforaciju polica
- maske postaviti na nož, u boji fronti:
- okovi: blum okovi (briteve i ladice)
- ladica: djelomična izvlaka
- ukopati rasvjetu u dno gornjih el
- ukopati rasvjetu u bok polica

INDEX MATERIJALA:


EGGER IVERAL
18 mm
U 702 ST 9
KAŠMIR SIVA

EGGER IVERAL
18 mm
F 416 ST 10
LANENO BEŽ


POGLED NA POLICE
OD STRANE STOLA




POGLED NA POLICE
OD STRANE KREVETA




POGLED NA RADNI STOL I POLICE
OD ORMARA




POGLED NA POLICE
OD STRANE STOLA



POGLED NA POLICE
OD STRANE KREVETA



POGLED NA RADNI STOL I POLICE
OD ORMARA



GARDEROBNI ORMAR

ORMAR SPECIFIKACIJE :


- ORMAR I LADICE POKRAJ ORMARA : U 702 ST 9, kašmir siva, IV 18 mm Egger
- VISEĆE POLICE UZ ORMAR, LETVICE I OTVORENE POLICE : F 416 ST 10, laneno bež, IV 18 mm Egger
- ručke ormar : Max moris - FLAPP - 110 cm - 2101050033 X 4 kom
- ručke ladice : Max moris - FLAPP - 20 cm - 2101050035 X 2 kom
- kutne lajsne skinuti i postaviti nakon ugrađenog namještaja
- police znad ormara fiksno izvesti
- ormar coki: 6 cm, u boji korpusa
- vranice dignuti 2 cm od poda
- ormar postaviti na nogice zbog niveliranja
- ladice unutar ormara izvesti ukopnu ručku
- okovi: blum okovi (briteve i ladice)
- oko ladica bočno postaviti maske 36 mm zbog briteve
- otvaranje unutarnjih ladica: 3 cm ukopati frontu
- ladica: djelomična izvlaka
- ukopati rasvjetu u bokove ormara
- ukopati rasvjetu u pod polica otvorenih

INDEX MATERIJALA:


EGGER IVERAL
18 mm
U 702 ST 9
KAŠMIR SIVA

EGGER IVERAL
18 mm
F 416 ST 10
LANENO BEŽ


POGLED ORMAR VANI




POGLED POLICE VANI




POGLED ORMAR VANI




POGLED POLICE VANI



TLOCRT



POGLED ORMAR UNUTRAŠJOST



INDEX MATERIJALA:

EGGER IVERAL
18 mm
F 702 ST 9
KAŠMIR SIVA

EGGER IVERAL
18 mm
F 416 ST 10
LANENO BEŽ



UKRASNA TAPERA NA ZIDOVIMA BOČNO OD KREVETA

SPECIFIKACIJE :

- tapeta : Wall lab
- naziv tapete: Smilje - bež
- debljina materijala:
- tapeta se postavlja prije postavljanja namještaja
- tapetu naručiti 20 cm širu i dužu


-zid a: 220 x 275
-zid b: 200 x 275

-PRILIKOM MONTAŽE VODITI RAČUNA DA SE TAPETA NE OŠTETI


Molim da se zid ogleda i obrusi za razinu Q4





POGLED A



POGLED B



SHEMA REZANJA LUKA IZNAD KREVETA



UKRASNI LUK IZNAD KREVETA

SPECIFIKACIJE :

- LUK I POLICE OKO LUKA : F 416 ST 10, laneno bež, IV 18 mm Egger
- naslanja se na otvorene police kraj stola
- potrebno je postaviti led traku u luk
- radijus 105 cm- nije pravilno u potpunosti

